

Spectracide®

yellow nutsedge

dandelion

clover

spurge

WEED STOP® FOR LAWNS

FOR SOUTHERN LAWNS

Herbicida para céspedes del sur

See Results in 8 Hours!	
Rainproof in 3 Hours!	Kills the Root!



17-13069

ACTIVE INGREDIENT:	
2,4-D, dimethylamine salt	0.342%
Mecoprop-p, dimethylamine salt	0.123%
Dicamba, dimethylamine salt	0.032%
Sulfentrazone	0.008%
OTHER INGREDIENTS:	99.495%
TOTAL	100.000%

THIS PRODUCT CONTAINS (on weight basis):
0.0239 lb 2,4-D acid equivalent per gallon or 0.285%, 0.0085 lb Mecoprop-p acid equivalent per gallon or 0.102%, 0.0026 lb Dicamba acid equivalent per gallon or 0.027%, 0.00067 lb Sulfentrazone per gallon or 0.008%, Isomer Specific By AOAC Methods.
CAS Numbers: 2,4-D dimethylamine salt (2008-39-1), Mecoprop-p dimethylamine salt (66423-09-4), Dicamba dimethylamine salt (2300-66-5), Sulfentrazone (122836-35-5)

For use on lawns

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

†For terms of guarantee, see back panel.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.

Net 24 fl oz (1 pt 8 fl oz / 709 mL)

ALTO LEA TODA LA ETIQUETA ANTES DE USAR. CUMPLA TODAS LAS PRECAUCIONES Y SIGA CUIDADOSAMENTE LAS INSTRUCCIONES.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

Precauciones y restricciones generales:

ALTO
- No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. **Mantenga a las personas y a las mascotas fuera del área durante la aplicación.**
- No permita que las personas ni las mascotas entren en el área tratada hasta que los rocíos se hayan secado.

Para el cuidado de céspedes residenciales:

El herbicida para céspedes del sur de Spectracide® es un producto listo para usar para el tratamiento "localizado" de malezas individuales de hoja ancha.

- No lo aplique más de dos veces por año.
- Debe esperar por lo menos 30 días entre las aplicaciones.
- Este envase de 24 onz. líq. para venta al consumidor trata aproximadamente 190 malezas o hasta 190 pies cuadrados.

No lo aplique como niebla fina porque puede dañar las plantas deseables.

No use este producto en ni cerca de plantas deseables, inclusive dentro de la franja de goteo de las raíces de árboles y arbustos deseables, ya que pueden sufrir daños.

No lo aplique directamente ni cerca de agua, alcantarillas pluviales, cunetas, alcantarillas ni zanjas de drenaje. No lo aplique en una franja de 25 pies de ríos, estanques de peces, lagos, arroyos, embalses, pantanos, estuarios, bahías y océanos. No lo aplique cuando haya viento. Para evitar el escurrimiento del producto, no riegue en exceso el área o áreas tratadas hasta el punto de escurrimiento, ni lo aplique cuando llueva o el día que se espere lluvia.

CÓMO USAR

1. Agite bien.
2. Ajuste la boquilla para descargar un rocío grueso para minimizar el arrastre por el viento.
3. Rocíe sólo la cantidad suficiente de producto para cubrir ligeramente las malezas de hoja ancha. **El exceso de rociado puede dañar algunos tipos de césped.** No aplique cuando las temperaturas diurnas sean superiores a 85°F ya que se puede dañar el césped. Rocíe solo las malezas, no todo el césped.
4. Las malezas comenzarán a marchitarse y adquirir color marrón durante la noche.

CONSEJOS SOBRE EL USO

- Puede ser necesario repetir el tratamiento en algunas malezas difíciles de eliminar. Espere al menos 30 días entre las aplicaciones; algunas malezas pueden demorar ese tiempo en morir.
- A prueba de lluvia — La lluvia o el riego luego de tres horas de la aplicación no reducen la eficacia. Si llueve dentro de las tres horas de la aplicación, se debe volver a aplicar el producto.
- No permita el arrastre del rocío sobre plantas deseables ya que puede causarles daño.
- **No lo use en las variedades 'Floratam' ni 'Bitterblue' del césped San Agustín.**


ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Gire la boquilla hasta la posición "OFF" (cerrar) y guárdelo con el rociador por encima del nivel de líquido en el envase para evitar pérdidas. Guarde el producto en su envase original, en áreas que se encuentren lejos del alcance de los niños y de las mascotas.

ELIMINACIÓN DEL PESTICIDA: Si está vacío: No vuelva a usar este envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción.

Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por un drenaje interno ni externo.





PEEL HERE
RESEALABLE LABEL
ABRA AQUÍ
ETIQUETA RESELLABLE

WEED STOP® FOR LAWNS

FOR SOUTHERN LAWNS

Herbicida para céspedes del sur


Won't Harm Lawns*

Rainproof – Won't Wash Away


Kills the Root!


Kills Over 250 Weed Types as Listed

PRODUCT FACTS

WHAT IT DOES:
Kills all major broadleaf weeds including dandelion, chickweed and clover. Kills over 250 types of weeds including poison ivy and poison oak.

WHERE TO USE:
Lawns: Kills the weeds not the lawn.*

WHEN TO USE:
Apply when daytime temperatures are between 50°F and 85°F.

QUESTIONS & COMMENTS:
Call 1-800-917-5438 or visit our website at **www.spectracide.com**

†GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

*When used as directed. Do not use on 'Floratam' or 'Bitterblue' varieties of St. Augustinegrass.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.

Dist. by Spectrum Group, Div. of United Industries Corp.
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 2217-876-8845
EPA Est. Nos. 39754-WI-1 (R), 9688-MO-1 (U), 79533-WI-1 (BT), 39609-MO-1 (BM)
Circled letter is first letter of lot number. 17-13070 ©2008 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 95709 2

WEEDS CONTROLLED/ MALEZAS CONTROLADAS

- amaranth, purple
- amaranth, slender
- aster, heath
- aster, purple
- aster, white heath
- aster, white prairie
- artichoke
- Austrian fieldcress
- bedstraw, catchweed
- bedstraw, smooth
- bedstraw, northern
- bedstraw, pineywoods
- beggarticks, hairy
- betony, Florida
- bindweed, field
- bindweed, hedge
- bitter wintercress
- bittercress, hairy
- bitterweed
- black-eyed Susan
- black medic
- blood flower milkweed
- blue lettuce
- brassbuttons
- bristly oxtongue
- broomweed
- buckhorn
- bullnettle
- burclover
- burdock
- burweed, lawn (spurweed)
- buttercup, bulbous
- buttercup, creeping
- buttonweed, common (poorjoe)
- buttonweed, Virginia
- Carolina geranium (wild)
- carpetweed
- catnip
- catsear, spotted (false dandelion)
- chamber bitter
- chickweed, common
- chickweed, mouseear
- chickweed, sticky
- chicory
- cinquefoil
- clover, alyce
- clover, crimson
- clover, hop
- clover, rabbit foot
- clover, red
- clover, strawberry
- clover, yellow sweet
- clover, white sweet
- clover, white
- cockle
- cocklebur
- cocklebur, oriental
- cocklebur, spiny
- common mullein
- corn spurry
- creeping beggarweed
- creeping Jenny (creeping Charlie)
- cupid shaving brush
- cudweed
- daisy, English
- daisy, oxeye
- dandelion, common
- dandelion, false
- day flower
- deadnettle
- dichondra
- dock, broadleaf
- dock, curly
- dogbane
- dogfennel
- dollarweed (pennywort)
- dove weed
- elderberry
- falseflax
- false sunflower
- fiddleneck
- filaree, redstem
- filaree, whitestem
- fleabane, daisy (annual)
- fleabane, rough
- galinsoga, hairy
- galinsoga, smallflower
- goldenrod
- ground ivy
- groundsel
- gumweed
- hairy fleabane
- hawkweed, meadow
- hawkweed, mouseear
- hawkweed, orange
- hawkweed, yellow
- healall
- heartleaf drymary
- hemp
- henbit
- hoary cress
- horsenettle
- horseweed
- jimsonweed
- Johnny-jumpup violet
- knawel
- knotweed, prostrate
- kochia
- lambsquarters
- lespedeza
- mallow, alkali
- mallow, bristly
- mallow, common
- mallow, dwarf
- mallow, venice
- marcela
- matchweed
- Mexicanweed
- moneywort
- morningglory, bigroot
- morningglory, ivyleaf
- morningglory, Mexican
- morningglory, red
- morningglory, tall
- morningglory, woolly
- mugwort
- mustard, ball
- mustard, black
- mustard, blue
- mustard, hedge
- mustard, Indian
- mustard, tansy
- mustard, tumble
- mustard, white
- mustard, wormseed
- nettle, stinging (burning)
- nettle, tall
- nettle, wood
- parsley-piert
- parsnip
- pearlwort
- pennycress (frenchweed)
- pepperweed, perennial
- pepperweed, Virginia (peppergrass)
- pigweed, prostate
- pigweed, redroot
- pigweed, Russian
- pigweed, smooth
- pigweed, tumble
- pineappleweed
- plains coreopsis (tickseed)
- plantain, blackseed
- plantain, bracted
- plantain, broadleaf
- plantain, buckhorn
- plantain, hoary
- plantain, narrowleaf
- plantain, slender
- plantain, woolly
- poison ivy
- poison oak
- pokeweed
- prairie sunflower
- prickly lettuce (compass plant)
- prickly sida
- prostrate knotweed
- puncturevine
- purslane, common
- pusley, Brazil
- pusley, Florida
- pusley, large flower
- ragweed, bur
- ragweed, common
- ragweed, lanceleaf
- ragweed, western
- redstem filaree
- rough cinquefoil
- scarlet pimpernel
- shepherdspurse
- smartweed, ladysthumb
- smartweed, pale
- smartweed, Pennsylvania
- smooth chaff-flower
- smoothdock
- sorrel, red (sheep)
- sowthistle, annual
- sowthistle, spiny
- Spanish needles
- speedwell, bi-lobed
- speedwell, common
- speedwell, corn
- speedwell, ivyleaf
- speedwell, Persian
- speedwell, purslane
- speedwell, slender
- speedwell, snow
- speedwell, thymeleaf
- spiny amaranth
- spurge, spotted
- spurge, prostrate
- spurweed
- star of Bethlehem
- strawberry, Indian mock
- tansy ragwort
- tanweed
- thistle, blessed
- thistle, bull
- thistle, Canada
- thistle, flodman (prairie)
- thistle, musk
- thistle, platte
- thistle, plumeless
- thistle, Russian
- thistle, Scotch
- thistle, wavyleaf
- thistle, yellow (horrible)
- trailing crownvetch
- velvetleaf
- vervain, blue
- vervain, hoary
- vervain, prostrate
- vervain, tall
- vetch, bird
- vetch, hairy
- vetch, milk
- vetch, narrowleaf
- vetch, wild
- Virginia creeper
- western clematis
- western salsify
- wild aster
- wild buckwheat
- wild carrot
- wild four-o-clock
- wild garlic
- wild lettuce
- wild marigold
- wild mustard (yellow rocket)
- wild onion
- wild parsnip
- wild radish
- wild rape
- wild strawberry
- wild sweet potato
- wild violet
- woodsorrel, creeping
- woodsorrel, violet
- woodsorrel, yellow (oxalis)
- woolly croton
- wormseed
- yarrow, common
- yarrow, western
- yarrow, yellow
- yellow nutsedge

STOP READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:



- Do not apply this product in a way that will contact any person or pet, either directly or through drift. **Keep people and pets out of the area during application.**
- Do not allow people or pets to enter the treated area until sprays have dried.

For home lawn care:

Spectracide® Weed Stop® for Lawns for Southern Lawns is a ready-to-use product intended for "spot" treatment of individual broadleaf weeds.

- Do not apply more than two applications per year.
- You must wait at least 30 days between applications.
- This 24 fl oz retail container size treats approximately 190 weeds or up to 190 sq ft.

Do not apply as a fine mist because of potential for injury to desirable plants.

Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not overwater the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

HOW TO USE

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift.
3. Spray just enough product to lightly cover broadleaf weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 85°F as lawn injury can occur. Spray only the weeds, not the entire lawn.
4. Weeds will begin wilting and browning overnight.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Rainproof — rain or watering three hours after application will not wash away effectiveness. If rainfall occurs within three hours of application, the product should be reapplied.
- Do not allow spray to drift onto desirable plants since injury may result.
- **Do not use on 'Floratam' or 'Bitterblue' varieties of St. Augustinegrass.**

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid	
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.	

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.
NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.
Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos • PRECAUCIÓN: Nocivo si se ingiere. Evite el contacto con los ojos o la ropa. Use camisa de manga larga, pantalones largos, calcetines, zapatos y guantes de goma/hule. Después de utilizar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla y rápidamente lávese bien las manos y la piel que estuvo expuesta, con agua y jabón. Quítese la ropa mojada y báñese en regadera tan pronto como sea posible.

Primeros Auxilios	
Si se ingiere:	• Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. • Si la persona puede tragar, haga que beba poco a poco un vaso de agua. • No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. • No administre nada por la boca a una persona que haya perdido el conocimiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.	

RIESGOS PARA EL MEDIO AMBIENTE: Este pesticida es tóxico para los peces y los invertebrados acuáticos y puede afectar de manera adversa a las plantas que no sean el objetivo. No aplique directamente al agua. Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el agua potable o subterránea.
NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.
¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Div. of United Industries Corp., PO Box 142642, St Louis, MO 63114-0642
EPA Reg. No. 2217-876-8845 EPA Est. Nos. 9688-MO-1 (U), 39754-WI-1 (R), 79533-WI-1 (BT), 39609-MO-1 (BM)
Circled letter is first letter of lot number. 17-13070